SLONI

The best climbing walls for your child

Climbing wall Fynn



ASSEMBLY INSTRUCTIONS

Climbing wall Fynn
ASSEMBLY INSTRUCTIONS

IMPORTANT INSTALLATION INSTRUCTIONS.

PLEASE READ THESE CAREFULLY AND FOLLOW EACH STEP EXACTLY.



WARNING:

Not suitable for children under 3 years of age. Use only under adult supervision.
Small parts may pose a choking hazard.
The assembly is best carried out by two adults.

Falling parts can cause serious or life-threatening injuries due to entrapment. To prevent the climbing wall from falling, it must be securely fixed to the wall.


Assembly should be carried out by a professional to minimise the risk of the furniture falling and causing accidents or damage. The wall-mounting fittings supplied are intended exclusively for concrete and brick walls. Please use fixing materials that are suitable for the type of wall you have. Check the suitability of the wall material to ensure the fixings have sufficient load-bearing capacity. If you are unsure about the appropriate fixing materials, please seek advice from a specialist retailer.

Note on material properties:

Our climbing walls are made of solid, untreated wood – a natural material that can react to changes in temperature and humidity. As a result, fine hairline cracks may occasionally appear in the wood. These are caused by natural stresses within the material and are a typical characteristic of solid wood. They do not affect the safety or stability of the product.

Care instructions:


For indoor use only. Dust regularly, always wiping along the grain of the wood. A dry cloth is suitable for polishing.




Last updated: 07/2026 v3.04


Contents of the package

Your parcel contains the following:






1 x Fynn, consisting of two pre-assembled components




2 x mounting beam




2 x rungs for overhang


3 x joining timbers



1 x middle section



1 x side panel, right




1 x side panel, left




15 x screw & sleeve **A**




24 x screw **B**




4 x screw **C**




8 x screws & plugs **D**




1 x glue



1 x climbing rope




2 x gymnastics rings




1 x rope ladder

You will also need:




A drill with various drill bits for drilling the holes for wall mounting.


Optional:



Cordless screwdriver with Torx bit



Step 1




1 x Fynn


3 x joining timbers




12 x screw **B**


First, connect the two pre-assembled parts using the screws provided.
This is easiest if you lay the wall bars on the floor.
Please place them on a carpet or blanket to prevent any scratches.






When assembling the item whilst lying down, please ensure that the side with the three holes is facing upwards.





Step 2




2 x mounting beam




12 x screw **B**

Fitting the mounting beams


Use the pre-drilled holes to secure the mounting beams. If there are obstacles on your wall that require a different position, you can adjust the position of the mounting beams as required and drill the holes yourself – ideally using a 2 mm wood drill bit. Position the top mounting beam in the top third and the bottom beam in the bottom third of the climbing wall for optimum stability.
Use a thin drill bit (2 or 3 mm) for pre-drilling.




Step 3




4 x screw **C**




2 x rungs for overhang



1 x middle section




1 x side panel, right



1 x side panel, right

Assembling the overhang

First, secure one of the side panels firmly to the climbing wall. Next, position the centre panel. Now slide the bar through the centre panel and insert it into the recess in the side panel that has already been fitted. Apply a little wood glue to the corresponding hole beforehand to ensure a secure connection.
Then fit the second side panel, also with a little glue applied to the recess.




Step 4




15 x screw **A**

Once all the parts are correctly positioned, the joints can be secured using the **screws and sleeves A**, and the overhang can be firmly fixed in place.




Step 5





8 x screws & plugs **D**

Position your Fynn climbing wall against the wall. Then drill holes in the wall to fit the screws and wall plugs **D** supplied. Drill directly through the holes in the mounting beams into the wall, and be sure to follow the instructions regarding the wall plugs on this page.




The anchors included in the package are intended exclusively for use in concrete and brick walls. If you wish to fix the climbing wall to a different type of wall (such as sandstone or plasterboard), you will need to obtain suitable anchors.






IMPORTANT:
The dowels supplied are not inserted directly into the wall, but through the mounting beam, and must be flush with it. This ensures that the dowels are anchored both in the wood of the climbing wall and in the room wall. The drill holes must always be drilled through the mounting beam. Before inserting the wall plugs, thoroughly remove any drill dust and debris. The drill hole should be approximately 10–15 mm deeper than the wall plug.




Step 6

Congratulations, your Fynn climbing wall is ready to use. Tie a secure knot at the end of the rope and attach it to the overhang. If you have also ordered a seat disc, thread the rope through the seat disc and then tie a knot. The gymnastic rings are usually attached to the front-most rung of the overhang. The hanging triangle shown in the picture is not included in the delivery. We hope you have lots of fun with your Fynn climbing wall.



Tie a secure knot at the lower end of the climbing rope.

If there is a seat disc, position it over the knot.



SLONI

The best climbing walls for your child

Quality meets design

Of course, we want only the best for your child. Climbing promotes children's physical and mental development in a playful way. Our products are lovingly handcrafted from solid pine and beech wood, are untreated and, naturally, free from harmful substances. And, just like you, we love good design. That's why we founded Sloni. Find out more at sloni.de.



Climbing walls



Climbing triangles



Bouldering walls

SLONI GmbH

Maysweg 10
47918 Tönisvorst
Deutschland
Phone: +49 2151 51 65 00
Mail: info@sloni.de