SLONI

The best climbing walls for your child

Wall bars Nikky



ASSEMBLY INSTRUCTIONS

Wall bars Nikky
ASSEMBLY INSTRUCTIONS

WARNING:

Not suitable for children under 3 years of age. Use only under adult supervision.
Small parts may pose a choking hazard.
The assembly is best carried out by two adults.

IMPORTANT INSTALLATION INSTRUCTIONS
PLEASE READ THESE INSTRUCTIONS CAREFULLY AND FOLLOW EVERY STEP EXACTLY.

Wall Mounting

Falling parts can cause serious or life-threatening injuries due to entrapment. To prevent the climbing wall from falling, it must be securely and correctly fixed to the wall in accordance with these instructions. Its stability depends in particular on the load-bearing capacity and condition of the wall, the use of suitable fixing materials and the correct installation of the mounting beam.

The wall-mounting fittings supplied are intended exclusively for concrete and brick walls. For other types of wall, you must use suitable fixing materials. Before installation, check whether your wall is suitable for mounting the climbing wall. If you are unsure about the condition of the wall, the appropriate fixing materials or the installation, please consult a qualified professional.


The supplied screws, manufactured in Germany, are designed to provide a high level of stability and load-bearing capacity. However, even these screws may bend or become damaged if they are installed incorrectly or contrary to these instructions.

To the extent permitted by law, we accept no liability and provide no free replacement for any damage, injury or consequential damage resulting from improper installation or use.

Care instructions


Our climbing walls are made of solid, untreated wood. As a natural material, wood can react to changes in temperature and humidity. This may occasionally result in fine hairline cracks. These are a typical characteristic of solid wood and do not affect the safety or stability of the product.

For indoor use only. Remove dust regularly with a cloth, always wiping along the grain of the wood. Then wipe with a dry cloth.




Contents of the package


Your parcel contains the following:




1 x Nikky, consisting of two pre-assembled components




2 x mounting beam




2 x rungs for overhang




2 x joining timbers



1 x side panel, right



1 x side panel, left




1 x rope ladder




10 x screw & sleeve **A**




16 x screw **B**




4 x screw **C**




4 x screw & plug D



1 x glue




1 x climbing rope




2 x gymnastic rings

You will also need:




A drill with various drill bits for drilling the holes for wall mounting.


Optional:




Cordless screwdriver with Torx bit




Step 1



1 x Nikky





2 x joining timbers




8 x screw **B**


First, connect the two pre-assembled parts using the screws provided.
This is easiest if you lay the wall bars on the floor.
Please place them on a carpet or blanket to prevent any scratches.






When assembling the unit whilst lying down, please ensure that the side with the three holes is facing upwards.





Step 2




2 x mounting beam



8 x screw **B**

Fitting the mounting beams


Use the pre-drilled holes to secure the mounting beams. If there are any obstacles on your wall that require a different position, you can reposition the mounting beam as required and drill the holes yourself. If you do reposition the mounting beam, you must pre-drill the holes to prevent hairline cracks. We recommend using a thin wood drill bit (2 mm) for this.




Step 3



10 x screw **A**




1 x side panel, right



1 x side panel, left


Now turn your Nikky climbing wall over so that the mounting beams are resting on the floor.

Now attach the two side panels of the overhang to the climbing wall frame using the **screws and sleeves A**, but make sure you only tighten them to about 50% – we still need a bit of play to fit the rungs into the side panels.




Step 4






4 x screw **C**




2 x rungs for overhang


Apply some of the glue supplied to the four holes into which the rungs are inserted, then fit the rungs in place.
You can now secure the rungs from the outside using **screws C**.

Now tighten screws A (step 2). Your Nikky is now fully assembled and ready to be hung on the wall.






Step 5




4 x screws & plugs **D**

Position your Nikky climbing wall against the wall. Then drill holes in the wall to fit the screws and wall plugs **D** supplied. Drill directly through the holes in the mounting beams into the wall, and be sure to follow the instructions regarding the wall plugs on this page.




The anchors included in the package are intended exclusively for use in concrete and brick walls. If you wish to fix the climbing wall to a different type of wall (such as sandstone or plasterboard), you will need to obtain suitable anchors.






IMPORTANT:
The dowels supplied are not inserted directly into the wall, but through the mounting beam, and must be flush with it. This ensures that the dowels are anchored both in the wood of the climbing wall and in the room wall. The drill holes must always be drilled through the mounting beam. Before inserting the wall plugs, thoroughly remove any drill dust and debris. The drill hole should be approximately 10–15 mm deeper than the wall plug.




Step 6

Congratulations, your Nikky climbing wall is ready to use. Tie a secure knot at the end of the rope and attach it to the overhang. If you've also ordered a seat disc, thread the rope through the seat disc and then tie a knot. The gymnastic rings are usually attached to the front-most rung of the overhang. We hope you have lots of fun with your Nikky climbing wall.



Tie a secure knot at the lower end of the climbing rope.

If there is a seat disc, position it over the knot.



SLONI

The best climbing walls for your child

Quality meets design

Of course, we want only the best for your child. Climbing promotes children's physical and mental development in a playful way. Our products are lovingly handcrafted from solid pine and beech wood, are untreated and, naturally, free from harmful substances. And, just like you, we love good design. That's why we founded Sloni. Find out more at sloni.de.



Climbing walls



Climbing triangles



Bouldering walls

SLONI GmbH

Maysweg 10
47918 Tönisvorst
Deutschland
Phone: +49 2151 51 65 00
Mail: info@sloni.de